

PARTS LIST

N° PL/RC-004 Issue 1

Product **Circular Charts**

Manual N/A

Circular Charts Stock

This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The shaded rows in the tables are stocked charts.

1 Kent Charts

Time Base	Range 1	Units	Range 2	Units	Part No.
-----------	---------	-------	---------	-------	----------

1 Hour

1 Hour	0 to 100	—	—	—	10368
1 Hour	0 to 150	—	0 to 3	—	1709

2 Hour

2 Hours	0 to 150	—	—	—	1236
2 Hours	0 to 200	—	—	—	1256

3 Hours

3 Hours	- 15 to + 60	—	—	—	1983
3 Hours	0 to 100	—	—	—	1637
3 Hours	0 to 150	Special	—	—	1655
3 Hours	0 to 150	—	—	—	1429
3 Hours	0 to 200	—	—	—	1810
3 Hours	100 to 900	F	—	—	1926
3 Hours	- 15 to + 60	—	0 to 150	—	1680
3 Hours	0 to 60	—	50 to 350	—	1677
3 Hours	- 1 to + 4	—	30 to 50	—	11275
3 Hours	0 to 150	C	- 1 to + 0	BAR	10658
3 Hours	0 to 150	C	- 1 to + +5	BAR	10657

4 Hours

4 Hours	0 to 100	—	—	—	1310
4 Hours	0 to 150	—	—	—	1457
4 Hours	0 to 300	—	—	—	1665
4 Hours	0 to 4k5	PSI	—	—	1002
4 Hours	50 to 150	—	—	—	1658
4 Hours	100 to 300	—	—	—	1354
4 Hours	30 to 150	—	- 15 to + 45	—	1460
4 Hours	50 to 300	F	10 to 50	C	1165

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
-----------	---------	-------	---------	-------	----------

6 Hours

6 Hours	0 to 100	—	—	—	1225
6 Hours	0 to 150	—	—	—	1387
6 Hours	0 to 200	—	—	—	1233
6 Hours	0 to 1k4	PT RH	—	—	1631
6 Hours	- 1 to + 5	—	40 to 160	—	10083
6 Hours	0 to 120	—	0 to 30	—	1385

8 Hours

8 Hours	0 to 80	—	—	—	1244
8 Hours	0 to 100	—	—	—	1320
8 Hours	0 to 150	C	—	—	1952
8 Hours	0 to 300	—	—	—	1171
8 Hours	0 to 6k	—	—	—	1422

12 Hours

12 Hours	- 30 to + 90	—	—	—	10262
12 Hours	- 25 to +25	—	—	—	493
12 Hours	0 to 10	—	—	—	1223
12 Hours	0 to 20	—	—	—	1183
12 Hours	0 to 50	—	—	—	373
12 Hours	0 to 60	—	—	—	1418
12 Hours	0 to 100	—	—	—	296
12 Hours	0 to 120	—	—	—	10203
12 Hours	0 to 150	—	—	—	1213
12 Hours	0 to 160	—	—	—	10024
12 Hours	0 to 200	—	—	—	364
12 Hours	0 to 250	—	—	—	1388
12 Hours	0 to 400	—	—	—	1237
12 Hours	0 to 500	—	—	—	1465
12 Hours	0 to 600	—	—	—	1295
12 Hours	0 to 800	—	—	—	1420
12 Hours	0 to 5k	—	—	—	1406
12 Hours	0 to 10k	—	—	—	1342
12 Hours	20 to 80	C (LOG)	—	—	10646
12 Hours	40 to 90	—	—	—	352
12 Hours	40 to 160	—	—	—	1280
12 Hours	50 to 100	Deg C	—	—	11063
12 Hours	50 to 150	—	—	—	283
12 Hours	50 to 300	—	—	—	443

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
12 Hours	70 to 170	—	—	—	1337
12 Hours	100 to 300	—	—	—	1359
12 Hours	220 to 20	—	—	—	1150
12 Hours	1 to + 3	—	0 to 150	—	11273
12 Hours	- 1 to + 5	—	30 to 150	—	1621
12 Hours	0 to 40	—	20 to 100	—	1632
12 Hours	0 to 150	—	0 to 300	—	1152
12 Hours	30 to 90	—	- 20 to + 100	—	10665
12 Hours	40 to 100	—	- 20 to + 100	C	10606
12 Hours	40 to 100	—	- 10 to + 50	C	10088
12 Hours	40 to 100	—	- 10 to + 50	C	10530
12 Hours	50 to 100	—	0 to 100	—	KA02142
12 Hours	60 to 120	—	- 10 to + 50	—	10112
12 Hours	65 to 125	—	- 20 to + 100	LOG	10647

24 Hours

24 Hours	- 230 to + 20	—	—	—	1125
24 Hours	- 100 to + 200	—	—	—	1283
24 Hours	- 80 to + 20	—	—	—	10064
24 Hours	- 75 to + 125	C	—	—	10644
24 Hours	- 75 to + 75	—	—	—	641
24 Hours	- 70 to + 180	—	—	—	1269
24 Hours	- 70 to + 130	C	—	—	10003
24 Hours	- 50 to + 50	—	—	—	1255
24 Hours	- 40 to + 160	—	—	—	1781
24 Hours	- 40 to + 80	—	—	—	317
24 Hours	- 40 to + 20	—	—	—	301
24 Hours	- 30 to + 170	—	—	—	1264
24 Hours	- 30 to + 70	—	—	—	1915
24 Hours	- 30 to + 60	C	—	—	10951
24 Hours	- 30 to + 60	—	—	—	316
24 Hours	- 30 to + 10	—	—	—	289
24 Hours	- 25 to + 50	—	—	—	204
24 Hours	25 to + 25	—	—	—	P70M/7097
24 Hours	- 25 to + 25	—	—	—	604
24 Hours	- 20 to + 150	—	—	—	10341
24 Hours	- 20 to + 80	—	—	—	207
24 Hours	- 20 to + 40	—	—	—	203
24 Hours	- 20 to + 30	—	—	—	714

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
24 Hours	- 15 to + 210	—	—	—	710
24 Hours	- 15 to + 60	—	—	—	1216
24 Hours	- 15 to + 35	—	—	—	599
24 Hours	- 15 to + 30	—	—	—	307
24 Hours	- 15 to + 15	INHG PSI	—	—	502
24 Hours	- 15 to + 15	—	—	—	565
24 Hours	- 10 to + 20	—	—	—	1600
24 Hours	- 10 to + 30	—	—	—	1814
24 Hours	- 10 to + 40	—	—	—	1949
24 Hours	- 10 to + 40	—	—	—	363
24 Hours	- 10 to + 100	—	—	—	10853
24 Hours	- 1 to + 13	—	—	—	10256
24 Hours	- 1 to 0	—	—	—	1886
24 Hours	0 to 1	—	—	—	1454
24 Hours	0 to 2	—	—	—	1268
24 Hours	0 to 3	—	—	—	552
24 Hours	0 to 3	SQRT	—	—	1783
24 Hours	0 to 5	—	—	—	584
24 Hours	0 to 7	—	—	—	1433
24 Hours	0 to 8	—	—	—	1859
24 Hours	0 to 10	—	—	—	L/D
24 Hours	0 to 10	—	—	—	R/D
24 Hours	0 to 10	—	—	—	537
24 Hours	0 to 10	SQRT	—	—	10485
24 Hours	0 to 12	—	—	—	523
24 Hours	0 to 14	—	—	—	1361
24 Hours	0 to 15	—	—	—	1309
24 Hours	0 to 16	—	—	—	1634
24 Hours	0 to 20	—	—	—	1153
24 Hours	0 to 25	—	—	—	522
24 Hours	0 to 30	—	—	—	531
24 Hours	0 to 35	—	—	—	1447
24 Hours	0 to 40	—	—	—	630
24 Hours	0 to 45	—	—	—	549
24 Hours	0 to 50	—	—	—	P70M/7085
24 Hours	0 to 50	—	—	—	514
24 Hours	0 to 60	—	—	—	597
24 Hours	0 to 60	—	—	—	1230

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
24 Hours	0 to 75	—	—	—	553
24 Hours	0 to 80	—	—	—	545
24 Hours	0 to 90	—	—	—	278
24 Hours	0 to 100	—	—	—	P70M/7001
24 Hours	0 to 100	—	—	—	510
24 Hours	0 to 100	SQRT	—	—	1605
24 Hours	0 to 100	SQRT	—	—	1622
24 Hours	0 to 120	—	—	—	515
24 Hours	0 to 120	swnes	—	—	11363
24 Hours	0 to 125	—	—	—	10857
24 Hours	0 to 150	—	—	—	564
24 Hours	0 to 160	—	—	—	517
24 Hours	0 to 200	—	—	—	P70M/7013
24 Hours	0 to 200	Deg C	—	—	10169
24 Hours	0 to 200	—	—	—	1145
24 Hours	0 to 225	—	—	—	327
24 Hours	0 to 250	—	—	—	525
24 Hours	0 to 300	—	—	—	585
24 Hours	0 to 300	—	—	—	P70M/7019
24 Hours	0 to 350	—	—	—	1684
24 Hours	0 to 400	—	—	—	540
24 Hours	0 to 400	C	—	—	10937
24 Hours	0 to 450	T/H	—	—	10677
24 Hours	0 to 500	—	—	—	550
24 Hours	0 to 600	—	—	—	640
24 Hours	0 to 800	—	—	—	256
24 Hours	0 to 1k	—	—	—	542
24 Hours	0 to 1k2	—	—	—	355
24 Hours	0 to 1k2	PT RH	—	—	1478
24 Hours	0 to 1k4	—	—	—	1351
24 Hours	0 to 1k4	C (S)	—	—	10149
24 Hours	0 to 1k5	—	—	—	567
24 Hours	0 to 1k5	PT RH	—	—	1610
24 Hours	0 to 1k6	—	—	—	1409
24 Hours	0 to 2k	—	—	—	304
24 Hours	0 to 2k5	—	—	—	1484
24 Hours	0 to 3k	A/R	—	—	658
24 Hours	0 to 3k5	—	—	—	1603

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
24 Hours	0 to 4k	—	—	—	621
24 Hours	0 to 5k	—	—	—	579
24 Hours	0 to 5k	LB/HR	—	—	10226
24 Hours	0 to 5k	LB/HR	—	—	10854
24 Hours	0 to 6k	—	—	—	1366
24 Hours	0 to 7k	—	—	—	10340
24 Hours	0 to 8k	LB/HR	—	—	10276
24 Hours	0 to 10k	—	—	—	670
24 Hours	0 to 14k	LB/HR	—	—	10277
24 Hours	0 to 15k	LB/HR	—	—	10607
24 Hours	0 to 15k	—	—	—	10683
24 Hours	0 to 20k	—	—	—	1716
24 Hours	0 to 25k	LIT/MIN	—	—	1638
24 Hours	2 to 12	—	—	—	1761
24 Hours	5 to 0	—	—	—	501
24 Hours	10 to 30	—	—	—	257
24 Hours	20 to 30	—	—	—	541
24 Hours	20 to 70	—	—	—	206
24 Hours	20 to 100	—	—	—	904
24 Hours	19 to - 1	—	—	—	10951
24 Hours	20 to 120	—	—	—	211
24 Hours	30 to 0	—	—	—	1222
24 Hours	30 to 80	—	—	—	303
24 Hours	30 to 130	—	—	—	213
24 Hours	30 to 130	SP	—	—	213A
24 Hours	30 to 180	—	—	—	218
24 Hours	30 to 230	—	—	—	223
24 Hours	40 to 160	C	—	—	2002
24 Hours	40 to 200	—	—	—	293
24 Hours	50 to 100	—	—	—	1470
24 Hours	50 to 150	—	—	—	262
24 Hours	50 to 200	—	—	—	10004
24 Hours	50 to 250	—	—	—	1146
24 Hours	50 to 270	—	—	—	11346
24 Hours	50 to 300	—	—	—	230
24 Hours	50 to 300	—	—	—	1158
24 Hours	50 to 350	—	—	—	235
24 Hours	50 to 400	—	—	—	1358

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
24 Hours	50 to 500	—	—	—	251
24 Hours	60 to 120	—	—	—	1218
24 Hours	60 to 180	—	—	—	654
24 Hours	70 to 110	—	—	—	638
24 Hours	70 to 270	—	—	—	11324
24 Hours	80 to 100	—	—	—	11379
24 Hours	80 to 200	PSI	—	—	228
24 Hours	85 to 135	—	—	—	11355
24 Hours	90 to 240	—	—	—	233
24 Hours	100 to 0	—	—	—	603
24 Hours	100 to 0	—	—	—	201
24 Hours	100 to 200	—	—	—	308
24 Hours	100 to 250	—	—	—	227
24 Hours	100 to 300	—	—	—	1156
24 Hours	100 to 400	—	—	—	1161
24 Hours	100 to 500	—	—	—	250
24 Hours	120 to 220	—	—	—	200
24 Hours	125 to 175	Deg C	—	—	P70M/7125
24 Hours	150 to 300	—	—	—	706
24 Hours	200 to 300	—	—	—	236
24 Hours	200 to 400	—	—	—	1308
24 Hours	200 to 500	—	—	—	259
24 Hours	200 to 1k	—	—	—	255
24 Hours	250 to 0	—	—	—	256
24 Hours	300 to 420	—	—	—	10005
24 Hours	300 to 600	—	—	—	299
24 Hours	400 to 1k2	—	—	—	237
24 Hours	500 to 2k5	—	—	—	651
24 Hours	600 to 950	C	—	—	281
24 Hours	600 to 1k2	—	—	—	10566
24 Hours	600 to 1k8	—	—	—	653
24 Hours	2 to 760	—	—	—	909
24 Hours	19 to - 1	—	—	—	1442
24 Hours	20 to - 30	—	—	—	1115
24 Hours	30 to - 30	—	—	—	1266
24 Hours	- 120 to + 120	—	0 to 120	—	280
24 Hours	- 75 to + 75	—	- 15 to 0	—	1109
24 Hours	- 20 to + 100	—	40 to 100	C	10877

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
24 Hours	- 20 to + 40	C	0 to 150	C	10797
24 Hours	- 15 to + 30	—	100 to 1000	—	1174
24 Hours	- 10 to + 50	C	- 40 to + 100	C	10702
24 Hours	0 to 2	—	0 to 10	—	11255
24 Hours	0 to 2	ppm	2 to 12	—	11257
24 Hours	0 to 5	—	0 to 150	—	11366
24 Hours	0 to 10	pH	0 to 5	REVS	10097
24 Hours	0 to 10	—	0 to 100	—	10458
24 Hours	0 to 10	—	0 to 100	—	944
24 Hours	0 to 10	SQRT	0 to 120	L	10514
24 Hours	0 to 20	T/H	0 to 25	BAR	10942
24 Hours	0 to 20	—	0 to 100	—	11373
24 Hours	0 to 30	—	0 to 60	—	590
24 Hours	0 to 30	—	0 to 180	—	1221
24 Hours	0 to 30	IN HG	0 to 240	PSI	533
24 Hours	0 to 30	—	30 to 150	F	994
24 Hours	0 to 40	—	0 to 50	—	10049
24 Hours	0 to 40	C	20 to 100	—	941
24 Hours	0 to 60	—	0 to 120	—	580
24 Hours	0 to 100	—	- 15 to + 35	—	1378
24 Hours	0 to 100	—	0 to 10	—	392
24 Hours	0 to 100	—	0 to 50	—	1438
24 Hours	0 to 100	C	0 to 100	% RH	10668
24 Hours	0 to 100	PSI	0 to 250	PSI	10034
24 Hours	0 to 120	—	0 to 15	—	628
24 Hours	0 to 120	—	0 to 300	—	1307
24 Hours	0 to 120	—	0 to 360	—	1845
24 Hours	0 to 150	—	0 to 15	—	677
24 Hours	0 to 150	—	0 to 300	—	652
24 Hours	0 to 150	—	0 to 750	—	337
24 Hours	0 to 150	—	0 to 7K5	—	682
24 Hours	0 to 200	—	0 to 10	—	477
24 Hours	0 to 200	—	0 to 50	—	689
24 Hours	0 to 200	—	0 to 100	—	1144
24 Hours	0 to 200	—	0 to 400	—	1344
24 Hours	0 to 200	—	0 to 800	—	691
24 Hours	0 to 250	—	0 to 125	—	1697
24 Hours	0 to 250	—	0 to 10K	—	669

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
24 Hours	0 to 300	—	0 to 300	—	11359
24 Hours	0 to 300	—	0 to 600	—	560
24 Hours	0 to 400	—	0 to 200	—	11372
24 Hours	0 to 500	—	0 to 50	—	978
24 Hours	0 to 500	—	0 to 100	—	329
24 Hours	0 to 600	—	150 to 300	C	1956
24 Hours	0 to 2k	—	0 to 400	—	491
24 Hours	0 to 5k	—	0 to 100	—	377
24 Hours	0 to 5k	—	0 to 200	—	1000
24 Hours	0 to 7k	LB/H	0 to 120	PSI	10325
24 Hours	10 to 130	—	1 to 31	—	989
24 Hours	20 to 100	—	0 to 20	—	340
24 Hours	30 to 0	—	- 10 to + 50	—	1323
24 Hours	40 to 100	—	- 10 to + 50	C	10531
24 Hours	50 to 100	—	0 to 50	C	10489
24 Hours	50 to 250	—	0 to 50	—	943
24 Hours	50 to 300	—	400 to 900	—	993
24 Hours	50 to 350	—	0 to 60	—	1414
24 Hours	65 to 95	—	- 5 to + 25	—	10536
24 Hours	100 to 400	—	200 to 800	—	328
24 Hours	100 to 1k	—	- 15 to + 30	—	1174
24 Hours	300 to 900	—	200 to 500	—	940
24 Hours	760 to 0	—	0 to 150	—	10360

36 Hours

36 Hours	0 to 30	—	—	—	11375
36 Hours	0 to 60	—	—	—	11376

48 Hours

48 Hours	0 to 100	—	—	—	367
48 Hours	0 to 150	—	—	—	1220
48 Hours	0 to 300	—	—	—	1166
48 Hours	20 to 120	—	—	—	1475

72 Hours

72 Hours	0 to 20	C	—	—	10100
72 Hours	0 to 150	—	—	—	1257
72 Hours	0 to 500	—	—	—	1426
72 Hours	0 to 1k8	C	—	—	1857
72 Hours	20 to 120	—	—	—	10192

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days					
7 Days	- 250 to - 50	—	—	—	11291
7 Days	- 200 to + 50	—	—	—	1410
7 Days	- 100 to + 200	—	—	—	1210
7 Days	- 100 to + 50	—	—	—	1703
7 Days	- 100 to + 200	—	—	—	1259
7 Days	- 80 to 0	—	—	—	600
7 Days	- 70 to + 180	—	—	—	1279
7 Days	- 50 to + 150	—	—	—	1357
7 Days	- 50 to + 100	C	—	—	10705
7 Days	- 50 to + 70	—	—	—	1330
7 Days	- 50 to + 50	—	—	—	1258
7 Days	- 50 to + 10	—	—	—	10941
7 Days	- 50 to + 0	—	—	—	1780
7 Days	- 40 to + 110	—	—	—	713
7 Days	- 40 to + 100	C	—	—	1881
7 Days	- 40 to + 20	—	—	—	1111
7 Days	- 40 to + 10	—	—	—	11365
7 Days	- 35 to 45	—	—	—	445
7 Days	- 30 to + 120	—	—	—	1130
7 Days	- 30 to + 60	—	—	—	1364
7 Days	- 30 to + 30	—	—	—	1824
7 Days	- 30 to + 30	—	—	—	1771
7 Days	- 30 to + 20	—	—	—	1372
7 Days	- 30 to + 10	C	—	—	1943
7 Days	≥8.889 to +26.6	C	—	—	1902
7 Days	- 25 to + 50	—	—	—	1415
7 Days	- 25 to + 25	—	—	—	P70M/7098
7 Days	- 25 to + 25	—	—	—	1302
7 Days	- 20 to + 130	—	—	—	1464
7 Days	- 20 to + 100	—	—	—	407
7 Days	- 20 to + 80	—	—	—	1178
7 Days	- 20 to + 40	C	—	—	10840
7 Days	- 20 to + 30	—	—	—	400
7 Days	- 20 to + 20	—	—	—	1986
7 Days	- 15 to + 35	—	—	—	413
7 Days	- 15 to + 15	—	—	—	672
7 Days	- 10 to + 150	—	—	—	1328

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days	- 10 to + 80	—	—	—	408
7 Days	- 10 to + 50	—	—	—	401
7 Days	- 10 to + 40	—	—	—	10676
7 Days	- 10 to + 30	—	—	—	10261
7 Days	- 10 to + 30	—	—	—	10179
7 Days	- 10 to + 15	—	—	—	1789
7 Days	- 10 to + 10	—	—	—	437
7 Days	- 5 to + 35	—	—	—	404
7 Days	- 5 to + 25	—	—	—	1866
7 Days	- 5 to + 25	—	—	—	1284
7 Days	0 to 0.5	—	—	—	1793
7 Days	0 to 0.5	—	—	—	1867
7 Days	0 to 1	—	—	—	1471
7 Days	0 to 1	PPM	—	—	10656
7 Days	0 to 1	PPM	—	—	10869
7 Days	0 to 2	—	—	—	11052
7 Days	0 to 2	NU LIN	—	—	1698
7 Days	0 to 2.2	M	—	—	10976
7 Days	0 to 2.5	—	—	—	1700
7 Days	0 to 2.6	—	—	—	1667
7 Days	0 to 3	M	—	—	10583
7 Days	0 to 3	MLD	—	—	10618
7 Days	0 to 3	M	—	—	10247
7 Days	0 to 3	M	—	—	10108
7 Days	0 to 3	—	—	—	10251
7 Days	0 to 3.5	M	—	—	1988
7 Days	0 to 4	—	—	—	408METRES/W
7 Days	0 to 4	—	—	—	624
7 Days	0 to 4	MLD	—	—	10641
7 Days	0 to 4.5	MLD	—	—	1666
7 Days	0 to 5	M	—	—	10655
7 Days	0 to 5	M	—	—	10805
7 Days	0 to 5	M	—	—	1993
7 Days	0 to 5	—	—	—	1685
7 Days	0 to 6	M	—	—	1818
7 Days	0 to 6	M	—	—	10687
7 Days	0 to 6	M	—	—	10808
7 Days	0 to 6	—	—	—	11022

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days	0 to 6	—	—	—	10252
7 Days	0 to 6.2	—	—	—	10910
7 Days	0 to 8	—	—	—	1671
7 Days	0 to 10	—	—	—	L/W
7 Days	0 to 10	—	—	—	601
7 Days	0 to 10	SQRT	—	—	10484
7 Days	0 to 12	—	—	—	1713
7 Days	0 to 12	—	—	—	639
7 Days	0 to 14	—	—	—	1353
7 Days	0 to 15	—	—	—	425
7 Days	0 to 16	—	—	—	1913
7 Days	0 to 20	—	—	—	1392
7 Days	0 to 20	—	—	—	1390
7 Days	0 to 24	—	—	—	665
7 Days	0 to 25	—	—	—	1355
7 Days	0 to 25	M	—	—	10870
7 Days	0 to 26	CUM/HR	—	—	10637
7 Days	0 to 26	—	—	—	10012
7 Days	0 to 27.7	L/S	—	—	10924
7 Days	0 to 30	—	—	—	357
7 Days	0 to 30	—	—	—	10957
7 Days	0 to 32	—	—	—	10811
7 Days	0 to 35	—	—	—	10871
7 Days	0 to 40	—	—	—	10782
7 Days	0 to 40	—	—	—	402
7 Days	0 to 45	—	—	—	1923
7 Days	0 to 45	—	—	—	10933
7 Days	0 to 50	—	—	—	P70M/7086
7 Days	0 to 50	—	—	—	10358
7 Days	0 to 50	—	—	—	405
7 Days	0 to 55	SQRT	—	—	D7638
7 Days	0 to 60	—	—	—	606
7 Days	0 to 70	L/S	—	—	10866
7 Days	0 to 75	—	—	—	614
7 Days	0 to 80	—	—	—	R803GH/W
7 Days	0 to 80	—	—	—	1461
7 Days	0 to 90	—	—	—	1776
7 Days	0 to 100	—	Yellow overprint	—	11374

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days	0 to 100	—	—	—	P70M/7002
7 Days	0 to 100	—	—	—	410
7 Days	0 to 110	—	—	—	1901
7 Days	0 to 120	L/S	—	—	10867
7 Days	0 to 120	—	—	—	612
7 Days	0 to 125	—	—	—	1977
7 Days	0 to 130	MLD	—	—	10838
7 Days	0 to 150	—	—	—	615
7 Days	0 to 150	PPh *100	—	—	10950
7 Days	0 to 160	—	—	—	1315
7 Days	0 to 180	CUM/HR	—	—	10638
7 Days	0 to 200	—	—	—	620
7 Days	0 to 210	L/S	—	—	10865
7 Days	0 to 240	MLD	—	—	10571
7 Days	0 to 250	CUM/HR	—	—	10585
7 Days	0 to 250	—	—	—	625
7 Days	0 to 300	CUM/HR	—	—	10584
7 Days	0 to 300	—	—	—	1123
7 Days	0 to 350	—	—	—	1659
7 Days	0 to 375	L/S	—	—	10844
7 Days	0 to 400	CUM/HR	—	—	10582
7 Days	0 to 400	—	—	—	434
7 Days	0 to 460	L/S	—	—	10992
7 Days	0 to 500	CUM/HR	—	—	10586
7 Days	0 to 500	—	—	—	11001
7 Days	0 to 500	—	—	—	650
7 Days	0 to 600	—	—	—	1316
7 Days	0 to 600	CUM/HR	—	—	10558
7 Days	0 to 1k5	—	—	—	1734
7 Days	0 to 1k6	—	—	—	1356
7 Days	0 to 2k	M3/H	—	—	11214
7 Days	0 to 2k	CUM/DAY	—	—	10610
7 Days	0 to 2k2	—	—	—	1879
7 Days	0 to 3k	—	—	—	1114
7 Days	0 to 4k	—	—	—	1173
7 Days	0 to 5k	—	—	—	10695
7 Days	0 to 6k	—	—	—	1281
7 Days	0 to 7k	—	—	—	10555

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days	0 to 8k	—	—	—	1651
7 Days	0 to 700	L/S	—	—	10407
7 Days	0 to 700	—	—	—	10617
7 Days	0 to 750	—	—	—	1181
7 Days	0 to 800	—	—	—	479
7 Days	0 to 800	CUM/HR	—	—	10784
7 Days	0 to 900	CUM/HR	—	—	1822
7 Days	0 to 1k	—	—	—	1317
7 Days	0 to 1k2	—	—	—	1430
7 Days	0 to 1k4	—	—	—	10532
7 Days	0 to 1k4	CUM/HR	—	—	10580
7 Days	0 to 8k	CUM/DAY	—	—	1906
7 Days	0 to 9k	B/HR SQRT	—	—	10215
7 Days	0 to 10k	—	—	—	10786
7 Days	0 to 12k	—	—	—	10620
7 Days	0 to 14k	M3HR	—	—	10917
7 Days	0 to 15k	—	—	—	1495
7 Days	0 to 15k	LB/HR	—	—	10236
7 Days	0 to 20k	—	—	—	R203GH/W
7 Days	0 to 25k	—	—	—	1683
7 Days	0 to 45k	—	—	—	1609
7 Days	0.5 to 5.5	M	—	—	10868
7 Days	0.5 to 0	—	—	—	10984
7 Days	1 to 0	—	—	—	1721
7 Days	2 to 10	—	—	—	432
7 Days	2 to 12	pH	—	—	10574
7 Days	5 to 10	—	—	—	10094
7 Days	6 to 10	—	—	—	11364
7 Days	10 to 0	—	—	—	498
7 Days	15 to 45	—	—	—	1327
7 Days	20 to 70	—	—	—	406
7 Days	20 to 100	—	—	—	923
7 Days	20 to 120	—	—	—	1134
7 Days	30 to 0	—	—	—	1739
7 Days	30 to 80	—	—	—	1676
7 Days	50 to 0	—	—	—	1606
7 Days	50 to 150	F	—	—	1998
7 Days	50 to 170	—	—	—	1127

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days	50 to 250	—	—	—	427
7 Days	50 to 350	—	—	—	436
7 Days	60 to 160	—	—	—	1140
7 Days	60 to 220	—	—	—	422
7 Days	75 to 125	PSIG	—	—	10975
7 Days	100 to 0	—	—	—	1900
7 Days	100 to 0	—	—	—	1801
7 Days	100 to 400	—	—	—	440
7 Days	150 to 0	—	—	—	10199
7 Days	200 to 1k	—	—	—	411
7 Days	+ 15 to - 35	—	—	—	1755
7 Days	+ 20 to - 30	—	—	—	10040
7 Days	+ 30 to - 30	—	—	—	1775
7 Days	+ 45 to - 15	—	—	—	1334
7 Days	+ 50 to - 25	—	—	—	1393
7 Days	+ 50 to - 50	—	—	—	1693
7 Days	- 25 to + 25	—	0 to 100	%	10134
7 Days	- 20 to + 80	C	0 to 100	% RH	10128
7 Days	0 to 2	—	0 to 200	—	10003
7 Days	0 to 2.5	—	0 to 10	—	1702
7 Days	0 to 4	—	0 to 100	—	11317
7 Days	0 to 4	BAR	0 to 300	C	10165
7 Days	0 to 5	M	0 to 3	M	10816
7 Days	0 to 10	—	0 to 100	SQRT	10459
7 Days	0 to 14	pH	0 to 50	M3/H	11333
7 Days	0 to 20	—	0 to 100	—	1472
7 Days	0 to 30	M	0 to 500	M3/H	11212
7 Days	0 to 40	—	0 to 100	—	P70M/7119
7 Days	0 to 40	—	20 to 100	—	433B
7 Days	0 to 50	—	30 to 230	—	1838
7 Days	0 to 50	—	0 to 100	NU LIN	10993
7 Days	0 to 60	—	0 to 100	—	1830
7 Days	0 to 75	—	0 to 150	—	1250
7 Days	0 to 100	—	30 to 230	—	1836
7 Days	0 to 100	—	0 to 5	—	495
7 Days	0 to 100	%	0 to 30	C	10556
7 Days	0 to 200	—	0 to 100	—	684
7 Days	0 to 250	M3/H	0 to 100	MH	11245

Circular Charts

Circular Charts Stock This publication details the Kent and Taylor (see page 18) charts available for our circular chart recorders. The

Time Base	Range 1	Units	Range 2	Units	Part No.
7 Days	4 to 60	—	24 to 80	—	1853
7 Days	20 to 100	%	0 to 40	C	433
7 Days	30 to 80	—	10 to 35	—	1708
7 Days	40 to 120	—	20 to 100	—	1191
7 Days	300 to 600	—	60 to 180	—	990
7 Days	0 to 500	—	0 to 100	—	11281
7 Days	0 to 200	L/S	0 to 5	M	10958
7 Days	0 to 200	—	0 to 100	—	684
7 Days	0 to 400	—	0 to 200	—	387
7 Days	0 to 500	—	0 to 250	—	1391

14 Days

14 Days	0 to 3	—	—	—	1227
---------	--------	---	---	---	------

28 Days

28 Days	- 40 to + 20	C	—	—	10158
28 Days	20 to 60	—	—	—	456
28 Days	+ 45 to - 15	—	—	—	10195
28 Days	0 to 40	—	20 to 100	—	10156

2 Taylor Charts

Time Base	Range 1	Units	Range 2	Units	Range 3	Units	Part No.
-----------	---------	-------	---------	-------	---------	-------	----------

1 Hour

1 Hour	0 to 100	—	—	—	—	—	OP1981
--------	----------	---	---	---	---	---	--------

12 Hour

12 Hours	0 to 40	—	—	—	—	—	OP5144
12 Hours	0 to 80	—	—	—	—	—	OP69102C
12 Hours	0 to 100	—	—	—	—	—	OP1508
12 Hours	0 to 100	—	—	—	—	—	500P1225-3
12 Hours	0 to 100	—	—	—	—	—	500P1225-96
12 Hours	0 to 150	—	—	—	—	—	OP1515
12 Hours	0 to 150	—	—	—	—	—	500P1225-116
12 Hours	0 to 350	—	—	—	—	—	500P1225-95
12 Hours	20 to 110	—	—	—	—	—	OP513A
12 Hours	30 to 80	—	—	—	—	—	500P1225-25
12 Hours	30 to 130	—	—	—	—	—	500P1225-60
12 Hours	30 to 230	—	—	—	—	—	500P1225-30
12 Hours	50 to 150	—	—	—	—	—	OP1500
12 Hours	50 to 150	—	—	—	—	—	500P1225-118
12 Hours	80 to 180	—	—	—	—	—	500P1225-34
12 Hours	100 to 210	—	—	—	—	—	OP1651
12 Hours	100 to 270	—	—	—	—	—	OP1664
12 Hours	120 to 220	—	—	—	—	—	500P1225-35
12 Hours	150 to 170	—	—	—	—	—	500P1225-79
12 Hours	200 to 300	—	—	—	—	—	500P1225-112
12 Hours	0 to 100	—	100 to 200	—	—	—	500P1267-2
12 Hours	20 to 0 to 100	—		—	—	—	500P1225-128
12 Hours	10 to 0 to 50	—	120 to 60	—	—	—	OP1530
12 Hours	40 to 100	—	10 to 0 50	—	—	—	500P1267-5
12 Hours	220 to 110	—	99 to 25	Deg F	—	—	OP1600
12 Hours*	35 to 135	—	0 to 50	—	—	—	500P1267-23

* Special 12/24 Hours.

Time Base	Range 1	Units	Range 2	Units	Range 3	Units	Part No.
24 Hours	- 100 to + 100	—	—	—	—	—	500P1225-44
24 Hours	- 50 to + 50	—	—	—	—	—	500P1225-100
24 Hours	- 15 to + 350	—	—	—	—	—	500P1225-46
24 Hours	- 10 to + 40	—	—	—	—	—	500P1225-513
24 Hours	0 to 3	—	—	—	—	—	OP765
24 Hours	0 to 10	—	—	—	—	—	OP3910
24 Hours	0 to 10	—	—	—	—	—	OP2750
24 Hours	0 to 14	—	—	—	—	—	500P1225-61
24 Hours	0 to 20	—	—	—	—	—	OP2752
24 Hours	0 to 25	—	—	—	—	—	OP21344
24 Hours	0 to 25	—	—	—	—	—	OP3706
24 Hours	0 to 30	—	—	—	—	—	OP2753
24 Hours	0 to 30	—	—	—	—	—	500P1225-103
24 Hours	0 to 40	—	—	—	—	—	OP5144
24 Hours	0 to 50	—	—	—	—	—	500P1225-82
24 Hours	0 to 50	—	—	—	—	—	500P1225-77
24 Hours	0 to 75	—	—	—	—	—	OP761
24 Hours	0 to 100	—	—	—	—	—	OP501
24 Hours	0 to 100	SQRT	—	—	—	—	OP2769
24 Hours	0 to 100	—	—	—	—	—	OP3502
24 Hours	0 to 100	—	—	—	—	—	P70M/7001
24 Hours	0 to 100	—	—	—	—	—	500P1225-1
24 Hours	0 to 110	—	—	—	—	—	OP558
24 Hours	0 to 120	—	—	—	—	—	OP4838
24 Hours	0 to 125	—	—	—	—	—	35146
24 Hours	0 to 130	—	—	—	—	—	500P1225-81
24 Hours	0 to 150	—	—	—	—	—	OP502
24 Hours	0 to 150	—	—	—	—	—	OP129
24 Hours	0 to 150	—	—	—	—	—	500P1225-107
24 Hours	0 to 200	—	—	—	—	—	OP3418
24 Hours	0 to 200	—	—	—	—	—	500P1225-7
24 Hours	0 to 220	—	—	—	—	—	OP503C
24 Hours	0 to 250	—	—	—	—	—	OP3320
24 Hours	0 to 250	—	—	—	—	—	500P1225-104
24 Hours	0 to 300	—	—	—	—	—	OP4940

Time Base	Range 1	Units	Range 2	Units	Range 3	Units	Part No.
24 Hours	0 to 300	—	—	—	—	—	500P1225-73
24 Hours	0 to 400	—	—	—	—	—	OP5402
24 Hours	0 to 400	—	—	—	—	—	500P1225-9
24 Hours	0 to 500	—	—	—	—	—	OP3222
24 Hours	0 to 500	—	—	—	—	—	500P1225-106
24 Hours	0 to 600	—	—	—	—	—	OP5784
24 Hours	0 to 600	—	—	—	—	—	500P1225-11
24 Hours	0 to 800	—	—	—	—	—	OP6578
24 Hours	0 to 800	—	—	—	—	—	500P1225-13
24 Hours	0 to 1000	—	—	—	—	—	OP3024
24 Hours	0 to 1000	—	—	—	—	—	500P1225-15
24 Hours	0 to 1500	—	—	—	—	—	500P1225-19
24 Hours	0 to 3000	—	—	—	—	—	OP133
24 Hours	10 to 120	—	—	—	—	—	OP829
24 Hours	10 to 150	—	—	—	—	—	OP901
24 Hours	10 to 160	—	—	—	—	—	OP531
24 Hours	20 to 120	—	—	—	—	—	OP528
24 Hours	20 to 120	—	—	—	—	—	OP128A158
24 Hours	20 to 120	—	—	—	—	—	35215
24 Hours	20 to 140	—	—	—	—	—	OP246
24 Hours	25 to 75	—	—	—	—	—	35241
24 Hours	28 to 132	—	—	—	—	—	OP567
24 Hours	30 to 80	—	—	—	—	—	OP157
24 Hours	30 to 130	—	—	—	—	—	500P1225-74
24 Hours	30 to 130	—	—	—	—	—	OP245
24 Hours	30 to 150	—	—	—	—	—	OP964
24 Hours	30 to 230	—	—	—	—	—	500P1225-28
24 Hours	32 to 320	—	—	—	—	—	500P1225-119
24 Hours	40 to 130	—	—	—	—	—	OP508
24 Hours	50 to 105	—	—	—	—	—	500P1225-75
24 Hours	50 to 150	—	—	—	—	—	OP105
24 Hours	50 to 150	—	—	—	—	—	500P1225-97
24 Hours	50 to 180	—	—	—	—	—	OP520
24 Hours	50 to 250	—	—	—	—	—	500P1225-444
24 Hours	50 to 300	—	—	—	—	—	OP303
24 Hours	50 to 320	—	—	—	—	—	OP522

Time Base	Range 1	Units	Range 2	Units	Range 3	Units	Part No.
24 Hours	60 to 150	—	—	—	—	—	OP515
24 Hours	70 to 210	—	—	—	—	—	OP260
24 Hours	70 to 270	—	—	—	—	—	500P1225-66
24 Hours	80 to 250	—	—	—	—	—	OP532
24 Hours	80 to 300	Deg F	—	—	—	—	OP524
24 Hours	90 to 140	—	—	—	—	—	500P1225-99
24 Hours	100 to 0	—	—	—	—	—	OP412
24 Hours	100 to 150	—	—	—	—	—	OP178
24 Hours	100 to 200	—	—	—	—	—	OP181
24 Hours	100 to 200	—	—	—	—	—	500P1225-137
24 Hours	100 to 220	—	—	—	—	—	OP278
24 Hours	100 to 270	—	—	—	—	—	OP504
24 Hours	100 to 350	—	—	—	—	—	OP127
24 Hours	120 to 230	—	—	—	—	—	OP534
24 Hours	150 to 350	—	—	—	—	—	OP5458
24 Hours	200 to 300	—	—	—	—	—	OP183
24 Hours	200 to 400	—	—	—	—	—	500P1225-65
24 Hours	200 to 500	—	—	—	—	—	OP250
24 Hours	220 to 25	—	—	—	—	—	35234
24 Hours	10 to 0 to 25	—	—	—	—	—	500P1225-67
24 Hours	20 to 0 to 40	—	—	—	—	—	35235
24 Hours	20 to 0 to 80	—	—	—	—	—	OP312
24 Hours	20 to 0 to 150	—	—	—	—	—	OP128
24 Hours	20 to 0 to 180	—	—	—	—	—	OP312
24 Hours	30 to 0 to 150	—	—	—	—	—	500P1225-125
24 Hours	- 5 to + 30	—	0 to 7	—	—	—	500P1267-277
24 Hours	0 to 7	—	5 to 0 to 30	—	—	—	OP200051
24 Hours	0 to 7	—	0 to 49	—	—	—	OP200035
24 Hours	0 to 7	—	0 to 50	—	—	—	OP20029
24 Hours	0 to 10	—	0 to 50	—	—	—	500P1267-69
24 Hours	0 to 10	—	0 to 50	—	—	—	OP5804
24 Hours	0 to 14	—	0 to 700	—	—	—	500P1267-152
24 Hours	0 to 25	—	0 to 200	—	—	—	500P1267-17
24 Hours	0 to 25	—	120 to 220	—	—	—	500P1267-250
24 Hours	0 to 30	—	0 to 150	—	—	—	500P1267-44
24 Hours	0 to 40	—	35 to 135	—	—	—	500P1267-22

Time Base	Range 1	Units	Range 2	Units	Range 3	Units	Part No.
24 Hours	0 to 50	—	0 to 100	—	—	—	OP3602
24 Hours	0 to 50	—	0 to 150	—	—	—	500P1267-77
24 Hours	0 to 50	—	100 to 300	—	—	—	OP6004
24 Hours	0 to 60	—	0 to 300	—	—	—	500P1267-42
24 Hours	0 to 100	—	0 to 10	—	—	—	OP5802
24 Hours	0 to 100	—	0 to 50	—	—	—	OP3502
24 Hours	0 to 100	—	100 to 300	—	—	—	500P1267-52
24 Hours	0 to 100	—	150 to 350	—	—	—	OP3558
24 Hours	0 to 150	—	0 to 200	—	—	—	OP327
24 Hours	0 to 100	—	0 to 200	—	—	—	OP3402
24 Hours	0 to 100	—	100 to 200	—	—	—	500P1267-1
24 Hours	0 to 100	%RH	20 to 120	Deg	—	—	35149
24 Hours	0 to 150	—	- 1 to + 2	—	—	—	500P1267-19
24 Hours	0 to 150	—	30 to 230	—	—	—	500P1267-10
24 Hours	0 to 150	—	0 to 1k2	—	—	—	500P1267-120
24 Hours	0 to 200	—	0 to 10	—	—	—	OP5818
24 Hours	10 to 149	—	50 to 300	—	—	—	OP870
24 Hours	0 to 300	—	0 to 500	—	—	—	500P1267-9
24 Hours	100 to 260	—	0 to 30	—	—	—	OP536
24 Hours	100 to 300	—	0 to 25	—	—	—	500P1267-67
24 Hours	285 to 415	—	285 to 415	—	—	—	OP557
24 Hours	0 to 30	—	0 to 100	—	0 to 150	—	500P1348-1

7 Days

7 Days	- 100 to + 100	—	—	—	—	—	500P1225-45
7 Days	- 58 to + 68	—	—	—	—	—	500P1225-114
7 Days	- 15 to + 350	—	—	—	—	—	500P1225-47
7 Days	0 to 5	—	—	—	—	—	500P1225-52
7 Days	0 to 10	SQRT	—	—	—	—	OP2790
7 Days	0 to 10	—	—	—	—	—	OP8810
7 Days	0 to 10	—	—	—	—	—	500P1225-183
7 Days	0 to 14	—	—	—	—	—	500P1225-188
7 Days	0 to 25	—	—	—	—	—	500P1225-68
7 Days	0 to 30	—	—	—	—	—	OP1102
7 Days	0 to 35	—	—	—	—	—	500P1225-63
7 Days	0 to 50	—	—	—	—	—	500P1225-78
7 Days	0 to 100	—	—	—	—	—	OP8502

Time Base	Range 1	Units	Range 2	Units	Range 3	Units	Part No.
7 Days	0 to 100	—	—	—	—	—	500P1225-2
7 Days	0 to 120	—	—	—	—	—	OP7738
7 Days	0 to 200	—	—	—	—	—	OP8418
7 Days	0 to 200	—	—	—	—	—	500P1225-8
7 Days	0 to 300	—	—	—	—	—	500P1225-145
7 Days	0 to 500	—	—	—	—	—	OP8322
7 Days	0 to 500	—	—	—	—	—	500P1225-148
7 Days	0 to 600	—	—	—	—	—	500P1225-12
7 Days	0 to 800	—	—	—	—	—	500P1225-14
7 Days	0 to 1000	—	—	—	—	—	500P1225-16
7 Days	0 to 1500	—	—	—	—	—	500P1225-20
7 Days	0 to 2000	—	—	—	—	—	500P1225-22
7 Days	0 to 3000	—	—	—	—	—	500P1225-24
7 Days	0 to 4000	—	—	—	—	—	35220
7 Days	5 to 0 to 20	—	—	—	—	—	500P1225-58
7 Days	15 to 0 to 35	—	—	—	—	—	OP1151
7 Days	25 to 0 to 25	—	—	—	—	—	500P1225-59
7 Days	30 to 230	—	—	—	—	—	500P1225-29
7 Days	40 to 0 to 60	—	—	—	—	—	500P1225-57
7 Days	60 to 0 to 20	—	—	—	—	—	1352
7 Days	50 to 100	—	—	—	—	—	OP1136
7 Days	50 to 150	—	—	—	—	—	OP135170
7 Days	60 to 180	—	—	—	—	—	500P1225-180
7 Days	- 80 to + 20		0 to 100	—	—	—	500P1267-260
7 Days	0 to 10	SQRT	0 to 100	—	—	—	OP2791
7 Days	0 to 14	—	0 to 100	—	—	—	500P1267-12
7 Days	0 to 100	—	0 to 100	—	—	—	OP2791
7 Days	0 to 100	—	0 to 200	—	—	—	500P1225-2/A
31 Days							
31 Days	0 to 100	—	—	—	—	—	OP21107

Notes.

ABB has Sales & Customer Support expertise
in over 100 countries worldwide

www.abb.com

The Company's policy is one of continuous product
improvement and the right is reserved to modify the
information contained herein without notice.

Printed in UK (04.09)

© ABB 2009



ABB Limited
Howard Road, St. Neots
Cambridgeshire
PE19 8EU
UK
Tel: +44 (0)1480 475321
Fax: +44 (0)1480 217948

ABB Inc.
125 E. County Line Road
Warminster
PA 18974
USA
Tel:+1 215 674 6000
Fax:+1 215 674 7183